

Motorised power shear

00761255

Motorised power shears - SCANTOOL 1250-40SM

SCANTOOL proudly presents their motorised shears with motorized back gauge in a new modern design. The new shears are developed with focus on design, quality, functionality and ergonomics.

Design: A new round shape with soft corners - timeless and modern.

Quality: Manufactured from the best materials and components - at our production in Poland.

Functionality: RTO patented feature which automatically direct cut pieces below 400mm of length out at the front to the operator.

Ergonomics: The cut-piece falls into a tray which is placed ergonomically correct for the operator and allows the operator to keep gloves on and remove the cut-piece without having to bend all the way to the floor.

Service: New developed knife gab adjustment for easy adjustment from the front of the shear when replacing knives.

The plate shears are equipped as standard with:

- Patented RTO system (return to operator of items)
- Average counter
- Motorized plate stop
- Mirror for easy and comfortable reading of the cutting line
- Table extensions 600 mm (2 pcs.)
- Angle stop
- Safety equipment with light beam
- Double eccentric pull on the cutter bar
- Self-lubricating slide guides
- Low blade angle and a burr-free cut
- Rubber coated plate holder
- Single or multi-clip function
- Removable foot pedal with emergency stop
- Adjustable blade splitting from the front of the scissors when servicing

Product Link:

<https://www.hmmachinery.bigleap.tech/en/product/motorised-power-shear-114>

Product Specification

| | |
|----------------------------|------------|
| Capacity (mm) | 1275 x 4,0 |
| Sheet thickness steel (mm) | 4,0 |
| Working length (mm) | 1250 |
| Motor (kW) | 4 |
| Cutting angle | 2,15° |
| Cutting/min. | 40 |
| Manual back gauge | 1 |
| Length (mm) | 2100 |
| Width (mm) | 2000 |
| Height (mm) | 1500 |
| Net weight (kg) | 1350 |

Product Link:

<https://www.hmmachinery.bigleap.tech/en/product/motorised-power-shear-114>